

RECEIVED
NOV 28 1988



LaSalle-Deitch Co., Inc.

Imperial Fabrics Division

29031 U.S. 33 West • P.O. Box 1886 • Elkhart, IN 46515

(219) 293-2575

58089

SUPERFUND PROGRAM
MANAGEMENT BRANCH

17 November 1988

Waste Management Division
U. S. EPA - Region V
230 South Dearborn Street
Chicago, Illinois 60604

Attn: Ms. Susan Swales (SHS-11)

RE: HIMCO Landfill
Elkhart, Indiana

Dear Ms. Swales:

The following is a description of our business:

- A. Imperial Fabrics manufacturers draperies for the R/V and Mobile Home industries.
- B. We cut and sew fabric.
- C. Waste generated is fabric.
- D. The waste is placed in a dumpster and picked up by HIMCO, Inc.
- E. SIC # is 23910-3

We do not generate any hazardous waste at Imperial Fabrics.

If you need further information please contact me.

Very truly yours,

IMPERIAL FABRICS DIVISION

Phill Cohee
Controller

PC/vm

cc: Don Bobay, LSD Corp.

MATERIAL SAFETY
DATA SHEET

24-HOUR EMERGENCY TELEPHONE (606) 324-1133

004884

KWIK DRI 66

PAGE: 1

THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD)

PRODUCT NAME: KWIK DRI 66
CAS NUMBER: 64742 88 7ARROW TOOL INC.
3000 HAMMOND AVENUE
ELKHART IN 4651405 50 065 0595940-
DATA SHEET NO: 0013947-003
LATEST REVISION DATE: 10/85-85274
PRODUCT: 2495000
INVOICE: 431672
INVOICE DATE: 06/25/85
TO: SAME

ATTN: PLANT MGR./SAFETY DIR.

SECTION I-PRODUCT IDENTIFICATION

GENERAL OR GENERIC ID: ALIPHATIC HYDROCARBON

HAZARD CLASSIFICATION: (10) COMBUSTIBLE (173.115)

SECTION II-HAZARDOUS COMPONENTS

INGREDIENT	% (BY WT)	PEL	TLV	NOTE
ALIPHATIC PETROLEUM DISTILLATES	>95	500	100 PPM	(1)

(1): NIOSH RECOMMENDS A LIMIT OF 350 MG/CUM - 8 HOUR TIME WEIGHTED AVERAGE, 1800 MG/CUM AS DETERMINED BY A 15 MINUTE SAMPLE.

SECTION III-PHYSICAL DATA

PROPERTY	REFINEMENT	MEASUREMENT
INITIAL BOILING POINT	FOR PRODUCT	(300.00 DEG F 148.88 DEG C) 0 760.00 MMHG
VAPOR PRESSURE	FOR PRODUCT	< 12.00 MMHG 0 100.00 DEG F (37.77 DEG C)
VAPOR DENSITY	AIR = 1	4.7
SPECIFIC GRAVITY		.750 0 60.00 DEG F (15.55 DEG C)
PERCENT VOLATILES		100.00%
EVAPORATION RATE	(ETHER = 1)	36.00

SECTION IV-FIRE AND EXPLOSION DATA

FLASH POINT (100.00 DEG F
37.77 DEG C)

EXPLOSIVE LIMIT (PRODUCT) LOWER - 1.0%

EXTINGUISHING MEDIA: REGULAR FOAM OR WATER FOD OR CARBON DIOXIDE OR DRY CHEMICAL

HAZARDOUS DECOMPOSITION PRODUCTS: MAY FORM TOXIC MATERIALS: CARBON DIOXIDE AND CARBON MONOXIDE, VARIOUS HYDROCARBONS, ETC.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN FIGHTING FIRES.

UNUSUAL FIRE & EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND OR BE MOVED BY VENTILATION AND IGNITED BY HEAT, PILOT LIGHTS, OTHER FLAMES AND IGNITION SOURCES AT LOCATIONS DISTANT FROM MATERIAL HANDLING POINT.

NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

NFPA CODES: HEALTH- 1 FLAMMABILITY- 2 REACTIVITY- 0

SECTION V-HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL 500 PPM

THRESHOLD LIMIT VALUE 100 PPM

EFFECTS OF OVEREXPOSURE: FOR PRODUCT

EYES - CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION.

SKIN - PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS.

BREATHING - EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

SWALLOWING - CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, AND DIARRHEA. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

EPA - REGION V
SUPERFUND DOCUMENT MANAGEMENT SYSTEM
(SDMS)
ENFORCEMENT CONFIDENTIAL INFORMATION

The material listed below is deemed enforcement confidential and has been redacted. Authorized staff may contact the EPA Region V Records Center for information on viewing this material. Approval for release of enforcement confidential material is granted by the Office of Regional Counsel.

SITE NAME	HIMCO DUMP
PHASE ACTIVITY	PRP/ENF
PRP AFFILIATION	LA SALLE DEITCH CO INC
DOCUMENT DATE(S)	11-17-1988
DOCUMENT TYPE	LIST OF INSURANCE COMPANIES & COVERAGES
IS THIS DOCUMENT PART OF ANOTHER DOCUMENT?	104(E) RESPONSE





LaSalle-Deitch Co., Inc.
Imperial Fabrics Division

29031 U.S. 33 West • P.O. Box 1886 • Elkhart, IN 46515

Attn: Ms. Susan Swales (SHS-11)

H.S.M.



Waste Management Division
U. S. EPA - Region V
230 South Dearborn Street
Chicago, Illinois 60604

